

PERFORMANCE TRUCK - HOUSTON

6855 North Loop 610 East, Houston, Texas 77028

Phone: (713) 844-7111

BUYER'S ORDER

Date Prepared: 11-27-2018	Delivery Date: 03-15-2019	Salesman: Preston Fredrich	Branch: Houston
Purchaser: City of Sugar Land		Telephone: 281-275-2460 Fax:	
Mailing Address: 111 Gillingham Lane City: Sugar Land State: TX Zip: 77478			County: Fort Bend
Physical Address: 111 Gillingham Lane City: Sugar Land State: TX Zip: 77478			County: Fort Bend
Description: NEW 2020 KENWORTH T880			
Mileage:	Color: L0006 White	NOTE: BUYBOARD CONTRACT # 521-16	
VIN: TO ORDER Comments: See attached vehicle summary, quote ID # Q03135561.			
Purchaser's Agent: Shahid Ali	Title: Fleet Services Manager	License Type: Apportioned	Account # Sugar Land

LICENSE - TITLE INFORMATION

Months: 12	Tractor:	Truck: X	Trailer:	Body Type: DUMP	Color: WHI	Tons:	GCW: 54600
Apportioned: X	IMC #	Combination:	Com'l:	Token Trailer:	Gas:	Diesel: X	

INSURANCE INFORMATION

AGENCY:	SELLING PRICE	148,941.00
NAME:	BUYBOARD FEE	400.00
PHONE:	CASH PRICE W/ACCESS.	149,341.00
LIEN INFORMATION		
NAME:	TRADE IN ALLOWANCE	-
LIEN DATE:	NET CASH DIFFERENCE	149,341.00
ADDRESS:	FEDERAL RETAIL EXCISE TAX	-
PHONE:	NET PRICE	149,341.00
CITY, STATE, ZIP:	STATE SALES TAX	-
COMMENTS:	LICENSE MO. & FEE	-
AMOUNT:	TITLE FEE (INCLUDES \$5 TAG FEE)	5.00
NAME:	COMMERCIAL INSPECTION FEE	-

ADDITIONAL INFORMATION

BUYBOARD CONTRACT #521-16	DEALER'S INVENTORY TAX	314.36
Proposal is for 1 Kenworth T880 Dump Truck	DOCUMENTARY FEE*	75.00
See Attached Specs	EXTENDED WARRANTY	-
FOB - Delivery to City of Sugar Land Upon Completion	SUBTOTAL	149,735.36
Item #263 \$84,164 / List Price Addition \$68,792 @35% Discount = \$44,719.80	BALANCE OWED ON TRADE	-
Total Truck Price \$128,879.80 / BuyBoard Fee \$400 / Requested Body \$20,455.5	SUBTOTAL	149,735.36
Total Price reflected on Buyers Order Accounting.	PREPAYMENT	-
PAYMENT IN FULL AT TIME OF DELIVERY.	BALANCE DUE UPON DELIVERY	149,735.36
BASE VEHICLE WARRANTY APPLIES.		

DISCLAIMER OF WARRANTY

Any warranties on the products sold hereby are those made by the manufacturer. The seller, CLEVELAND MACK SALES, INC., PERFORMANCE TRUCK OR PERFORMANCE TRAILER, hereby expressly disclaims all warranties, either express or implied, including any implied warranty of merchantability or fitness for a particular purpose, and CLEVELAND MACK SALES, INC., PERFORMANCE TRUCK OR PERFORMANCE TRAILER neither assumes nor authorizes any other person to assume for it any liability in connection with the sale of said products.

* A DOCUMENTARY FEE IS NOT AN OFFICIAL FEE. A DOCUMENTARY FEE IS NOT REQUIRED BY LAW, BUT MAY BE CHARGED TO BUYERS FOR HANDLING DOCUMENTS RELATING TO THE SALE. A DOCUMENTARY FEE MAY NOT EXCEED A REASONABLE AMOUNT AGREED TO BY THE PARTIES. THIS NOTICE IS REQUIRED BY LAW.

Vehicle(s) are subject to prior sale and will not be held more than five working days.

PURCHASER _____

THIS ORDER NOT BINDING UNTIL ACCEPTED BY DEALER.

SALESPERSON _____

ACCEPTED BY _____



Performance Truck - Kenworth C359
6855 North Loop 610 East

ITEM # 263

Houston, Texas United States 77028
Phone: (713) 844-7161
Fax: (713) 844-7222
Email: pfredrich@performancetruck.com

Vehicle Summary

Unit		Chassis	
Model:	T880 Series Conventional	Fr Axle Load (lbs):	12000
Type:	FULL TRUCK	Rr Axle Load (lbs)	22700
Description:	T880 - SRA	G.C.W. (lbs):	34700
Application		Road Conditions:	
Intended Serv.:	Local pickup & delivery.	Class A (Highway)	90
	Vehicles which haul		
Commodity:	General freight	Class B (Hwy/Mtn)	10
		Class C (Off-Hwy)	00
Body		Class D (Off-Road)	00
Type:	Other	Maximum Grade:	6
Length (ft):	12.0	Wheelbase (in):	150
Height (ft):	13.5	Overhang (in):	60
Max Laden Weight (lbs):	3500	Fr Axle to BOC (in):	68
		Cab to Axle (in):	82
Trailer		Cab to EOF (in):	142
No. of Trailer Axles:	0	Overall Comb. Length (in):	258
Type:			
Length (ft):	0.0	Special Req.	
Height (ft):	0.0	U.S. Domestic Registry, 50-State	
Kingpin Inset (in):	0		
Corner Radius (in):	0		
Restrictions			
Length (ft):	120		
Width (in):	102		
Height (ft):	13.5		

Approved by: _____

Date: _____

Note: All sales are F.O.B. designated plant of manufacture.



Ask your dealer for a quote today, or visit our website @ www.paccarfinancial.com.

PACCAR Financial offers innovative finance, lease and insurance programs customized to meet your needs.

Unpublished options may require review/approval.

Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed: 8/31/2016 1:27:51 PM
Effective Date: Jul 1, 2016
Prepared by: Preston A Fredrich

Complete

Model Number: T880 Series Conventional
Quote/DTPO/CO: Q23435283
Version Number: 38.10



Performance Truck - Kenworth C359
6855 North Loop 610 East

Houston, Texas United States 77028
Phone: (713) 844-7161
Fax: (713) 844-7222
Email: pfredrich@performancetruck.com

Model	Description	Weight
	T880 Series Conventional	15,236
	T880	0
	Dealer/Customer declines engine w/CARB Idle	0
	Non-Sleeper w/rear axle capacity less than 59K.	0
	General freight	0
	Local pickup & delivery. Vehicles which haul	0
	Other	0
	U.S. Domestic Registry, 50-State	0

Engine & Equipment

PACCAR MX-13 380 2013+ 380@1700 1450@1000	0
N08000 N219 0....Offset mode	
N08030 N224 2....Maximum Vehicle Speed Bonus	
N08040 N227 -2....Maximum Vehicle Speed Penalty	
N08190 N246 4....Minimum Vehicle Speed for DSA Activation	
N08200 N247 1....Lowest Gear that DSA will be active	
N08210 N248 10...Highest Gear that DSA will be active	
N09020 N170 120..Standard Maximum Speed Limit [LSL]	
N09030 N169 0....VSL Expiration Distance	
N09040 N162 64...Maximum Accelerator Pedal Vehicle Speed	
N09060 N163 0....Maximum Cycle Distance	
N09070 N052 650..Engine Idle Speed	
N09100 N015 NO...Enable Retarder During Manual Transmission Gear Selection	
N09110 N019 0....Delay in Engine Brake Activation w/ Brake Pedal Depressed	
N09120 N014 2....Auto Retard Vehicle Speed Offset	
N09130 N013 4....Downhill Speed Limiter Vehicle Speed Offset	
N09140 N006 64...Max Cruise Speed	
N09150 N001 16...Minimum Speed to Turn Cruise Control Off	
N09160 N003 19...Minimum Cruise Control Speed	
N09170 N002 19...Min Speed to Automatically Turn Cruise Control On	
N09180 N005 1....Value to Increase Speed w/ Set/Accel Bump Switch	
N09190 N004 1....Value to Reduce Speed w/ Resume/Decel Bump Switch	
N09200 N039 ON...Allow Multi-Torque Only When Cruise is Active	
N09210 N193 0....EIST Expiration Distance	
N09220 N188 5....Timer Setting Non-PTO Mode w/o Park Brake Set	
N09230 N187 5....Timer Setting Non-PTO Mode w/ Park Brake Set	

Unpublished options may require review/approval.

Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed: 8/31/2016 1:27:51 PM
Effective Date: Jul 1, 2016
Prepared by: Preston A Fredrich

Complete

Model Number: T880 Series Conventional
Quote/DTPO/CO: Q23435283
Version Number: 38.10

Description		Weight
N09240	N194 60...Timer for Impending Shutdown Warning	
N09250	N190 YES..Reset EIST Timer Based on Engine Load	
N09260	N191 NO...Override EIST Timer Based on Engine Load - No Shutdown	
N09270	N183 35...Engine Load Threshold	
N09280	N186 5....Timer Setting When in PTO Mode	
N09290	N200 YES..Allow EIST Timer Overrides in PTO Mode	
N09300	N185 40...Low Ambient Temperature Override	
N09310	N184 80...High Ambient Temperature Override	
N09350	N197 YES..Enable Accelerator Pedal Reset	
N09360	N199 YES..Enable Clutch Pedal Reset	
N09370	N198 YES..Enable Service Brake Reset	
N09380	N071 OFF..FIC Enable/Disable	
N09390	N072 1900.Maximum Fast Idle Control Engine Speed	
N09400	N105 100..Decrease Engine Speed w/ Res/Decel Bump Switch	
N09410	N107 100..Increase Engine Speed w/ Set/Accel Bump Switch	
N09420	N104 250..Rate to Decrease Engine Speed w/ Res/Decel Switch Held	
N09430	N103 350..Rate to Increase Engine Speed w/ Set/Accel Switch Held	
N09440	N080 1....PTO Vehicle Speed Limit	
N09450	N078 ON...PTO Mode Disabled w/ Clutch Pedal Depressed	
N09460	N101 ON...PTO Mode Disabled w/ Service Brake Depressed	
N09470	N079 ON...PTO Mode Enable Only w/ Parking Brake Set	
N09480	N089 ON...PTO Mode Enable Only w/ Transmission Neutral	
N09490	N082 50...Reduce Engine Speed w/ Resume/Decel Switch Bump	
N09500	N083 50...Increase Engine Speed w/ Set/Accel Switch Bump	
N09510	N084 250..Rate of Decrease in Engine Speed w/ Switch Held Down	
N09520	N085 350..Rate of Increase in Engine Speed w/ Switch Held Down	
N09530	N110 ON...Enable Set Point w/ Set/Accel Switch Bump	
N09540	N087 780..RPM Set Point	
N09550	N086 2000.Maximum Engine Speed During PTO Operation	
N09560	N090 50...Reduce Engine Spd w/ Remote Res/Decel Switch Bump	
N09570	N092 50...Increase Engine Spd w/ Remote Set/Accel Switch Bump	
N09580	N091 200..Rate of Decrease in Engine Speed w/ Switch Held Down	
N09590	N093 250..Rate of Increase in Engine Speed w/ Switch Held Down	
N09600	N106 660..Minimum Engine Speed During PTO Operation	
N09610	N077 1902.Maximum Engine Torque During PTO Operation	
N09620	N109 NO...Enable PTO Speed Maximum Rate of Change	
N09630	N081 75...PTO Speed Maximum Rate of Change	
N09640	N173 0....Reserve Speed Offset	
N09820	N065 5....HEST Warning Minimum Vehicle Speed	
N09840	N179 YES..Enable Park Brake Reset	
N09880	N164 252..Reserve Speed Function Reset Distance	
N09900	N182 30...Coolant Temperature Override	
N09920	N073 Trq..Cab Accel Pedal Type in PTO Mode	

Unpublished options may require review/approval.

Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	8/31/2016 1:27:51 PM	Complete	Model Number:	T880 Series Conventional
Effective Date:	Jul 1, 2016		Quote/DTPO/CO:	Q23435283
Prepared by:	Preston A Fredrich		Version Number:	38.10



Description	Weight
N09940 N055 780..RPM Set Point 1	
N09960 N056 1030.RPM Set Point 2	
Prospector Version 38.1	0
Engine monitoring protection -Warning- PACCAR MX	0
Gearing Analysis: Balance	0
Customer's Typical Operating Spd: 65 mph.	0
MX Retarder State Cruise Control On Manual Mode	0
Enable MX Retarder Auto-Retard	0
Enable Reserve Speed Drive Cycle Limit	0
Effective VSL Setting NA	0
Engine Idle Shutdown Timer Disabled	0
Eff EIST NA Expiration Miles	0
Air compressor: WABCO 28 CFM PACCAR MX.	0
Air Cleaner: composite firewall mounted PACCAR or	0
Fan Hub: Horton On/Off for PACCAR MX	0
Cooling module: 1330 square inches.	0
RH under cab DPF/SCR w/ RH SOC vertical tailpipe.	0
Tailpipe: 5 in. single 24 in. 45 degree curved.	-3
PACCAR Fuel filter/water separator: return fuel	0
Alternator: PACCAR 160 amp, brush type	0
Batteries: 3 PACCAR GP31 threaded post (700) 2100	0
Starter: PACCAR 12 volt electrical system. W/	0
Decline Driver Performance Assistant (DPA)	0
Transmission & Clutch	
Transmission: Fuller FAO14810C 10-speed	-45
Clutch: Eaton 4 paddle ceramic 1650 lb-ft	0
Air-assisted Hydraulic Clutch	0
Driveline:1 Dana 1810 heavy-duty no centerbearing	4
Aluminum clutch housing	0
Front Axle & Equipment	
Meritor MFS12E 12.5K 3.5in. drop standard track	0
Front Brakes: 14.6K Bendix ES s-cam 16.5x5 in.	-62
Front Brake Drums: 14.6K 16.5x5 in. cast.	78
Front Hub: aluminum hub pilot 13,200 lbs.	0
ConMet PreSet Plus Hub package; front axle.	0

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed: 8/31/2016 1:27:51 PM
Effective Date: Jul 1, 2016
Prepared by: Preston A Fredrich

Complete

Model Number: T880 Series Conventional
Quote/DTPO/CO: Q23435283
Version Number: 38.10



Description		Weight
Hubcap: front vented.		0
Front Auto Slack Adjuster.		0
Front Springs: Taperleaf 12K w/ shock absorbers		0
Single power steering gear: 13.2K Sheppard HD94.		0
Rear Axle & Equipment		
Single Meritor R23-160 rear axle rated at 23K.		-1,946
Rear Axle Ratio - 3.73.		0
Single Rear Brakes 16-1/2x7 in. Bendix ES-		0
Single Rear Brake Drums: cast.		0
Single Rear Hubs: Aluminum hub pilot 23K;		0
ConMet PreSet Plus Hub package; single rear axle.		0
Single Rear axle automatic slack adjusters.		0
Spring Brake: 3030 high output single.		0
Bendix 4S/4M anti-lock brake system.		0
Rear suspension: single Reyco 79KB taperleaf 23K.		-414
Tires & Wheels		
Front tires: YOKOHAMA 101ZL 295/75R22.5 14PR		16
Rear tires: YOKOHAMA RY617 295/75R22.5 14PR		-16
Rear Tire Quantity: 4		0
Front wheel: Accuride 50487 22.5x8.25 steel		0
Rear wheel: Accuride 50487 22.5x8.25 steel		0
Powder coat white steel wheel. Use in conjunction		0
Rear Wheel/Rim Quantity: 4		0
Frame & Equipment		
Frame Rails: 10-5/8 x 3-1/2 x 5/16 in. Steel to		-32
Bumper: Straight Aluminum Channel. Requires a		0
48.5 in. Bumper setting. Requires a bumper code.		0
Front mudflaps.		0
Battery box module: Short length aluminum		0
Battery box location: LH Side.		0
T470,C5, T6, T8 non-polished DPF/SCR or CNG cover		30
Rear mudflap arms: Betts B-25 standard-duty,		0
Rear mudflap shields: White plastic antisail w/		0
Square end-of-frame w/ o crossmember;non-towing.		0
Fuel Tanks & Equip		
Fuel Tank: 45 US gallon 24.5in. aluminum BOC		-22

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	8/31/2016 1:27:51 PM	Complete	Model Number:	T880 Series Conventional
Effective Date:	Jul 1, 2016		Quote/DTPO/CO:	Q23435283
Prepared by:	Preston A Fredrich		Version Number:	38.10



Description	Weight
Small round DEF tank. 11 gallons of	0
Standard DEF to fuel fill ratio: 2:1 or greater.	0
Anti-siphon device swaged in place.	0
DEF tank location is on the LH.	0
Location: 45 gal fuel tank LH behind cab	0

Cab & Equipment

Cab: Stamped aluminum cab with panoramic curved	0
Hood:T880 Short Length MX-Optimized W/Mechan.	0
Cab HVAC - Day Cab and 40in Sleeper	0
Steering wheel: 18 in. 4-spoke.	0
Kenworth Driver Performance Center:5in Full Color	0
Kenworth instrumentation and control package with	0
Interior color: Slate Gray	0
Interior package: Vantage daycab	0
Rubber floormat	0
DR Seat: GT701 IB with Vinyl material.	0
RD Seat: GT100 Tubeframe IB with Vinyl Material.	-9
Seat color: Slate Gray with Gray stitching.	0
Non-self cancelling turn signal: W/column-mounted	0
Kenworth TruckTech+	0
Dual Cab Interior Grabhandles: A Pillar Mounted	0
Kenworth Daylite Door with standard LH/RH	0
Single air horn under cab.	0
Look-Down, Pass. Door, Black 11x6	0
Aero Mirror: Dual Kenworth Aerodynamic Motorized	0
Rear cab stationary window 19in x 36in	0
One-piece bonded-in windshield with curved glass.	0
Kenworth Cab/Sleeper Air Suspension.	0

Lights & Instruments

Headlamps: SAE Dual Halogen Complex Reflector	0
Marker Lights: Five, rectangular, LED	0
Turn Signal Lights: Flush mounted LED mounted at	0
LED Stop,Turn,Tail: With Two LED	0
Marker Lights: Interrupter Switch.	0

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed: 8/31/2016 1:27:51 PM
Effective Date: Jul 1, 2016
Prepared by: Preston A Fredrich

Complete

Model Number: T880 Series Conventional
Quote/DTPO/CO: Q23435283
Version Number: 38.10



Description		Weight
Air Equipment	Air Dryer: Bendix AD-IS heated.	0
	Moisture ejection valve w/ pull cable drain.	0
	Nylon air tubing in frame & cab, excluding hoses	0
Extended Warranty		
	Standard Warranty.	0
Miscellaneous		
	GHG Secondary Manufacturer: Does Not Apply	0
Paint		
	Paint color number.	0
	N97020 A - L0006 WHITE	
	N97200 FRAME N0001 BLACK	
	Bumper Unpainted	0
	Day Cab Standard Paint	0
	1 - Color Paint - Day Cab	0
	Base coat/clear coat.	0
Total Adjusted Price (W/O Freight & Warranty & Surcharges)		\$154,842
Freight Charge		\$2,225
Options Not Subject to Discount		\$0
Surcharges Not subject to Discount		\$0
Total Weight		12815 lb

Prices and Specifications Subject to Change Without Notice.

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	8/31/2016 1:27:51 PM	Complete	Model Number:	T880 Series Conventional
Effective Date:	Jul 1, 2016		Quote/DTPO/CO:	Q23435283
Prepared by:	Preston A Fredrich		Version Number:	38.10

CHASSIS NUMBER: 364646	Plant: J	MODEL: 0000810	CUSTOMER NAME: CRANWORKS	TENTATIVE DATE: 01/21/19
----------------------------------	--------------------	--------------------------	------------------------------------	------------------------------------

REPORT DATE:11/27/18

CHASSIS NUMBER: 364646

MODEL: 0000810

PLANT CODE: J

DEALER NO: C359

OPS STAT: 11/27/18

STARTING CHASSIS NO:

CUSTOMER PO:

DEALER NAME AND ADDRESS:

PERFORMANCE TRUCK
1287 HIGHWAY 59 NORTH
CLEVELAND
TX 77328

SHIPPING DESTINATION:

HOUSTON, TX G982

STARTING CHASSIS NO:

ENDING CHASSIS NO:

REQUESTED: 02/01/19

PRICE EFFECTIVE DATE: 01/01/18

TENTATIVE DATE: 01/21/19

FIRM DATE:

WHEELBASE: 194.00

CAB TO AXLE: 120.00

CAB TO END OF FRAME:

AXLE TO BACK OF CAB: 74.00

184.00

OPTION	DESCRIPTION	PUB	PRICE	WGT
BASE MODEL				
0000810	T880 Series Conventional	P	180045	15073
0070060	T880	P	0	0
0072000	CHASSIS OPERATION WILL NOT INCLUDE A STATIONARY APPLICATION	P	0	0
0080055	CARB IDLE EMISSIONS REDUCTION FEATURE CUMMINS ENGINES	P	100	0
0090000	NONSLEEPER	P	0	0
	With rear axle capacity less than 59K			
ENGINE AND ENGINE EQUIPMENT				
0123645	X15 450 450@1800 1650@1000	P	4974	300
	2017 W/INTEBRAKE, EFFICIENCY SERIES			
N0920	N205 65....STANDARD MAXIMUM SPEED LIMIT			
N0922	N207 0.....EXPIRATION DISTANCE (N207)			
N0924	P13 120...HARD MAXIMUM SPEED LIMIT (P1			
N0926	P14 65....MAXIMUM ACCELERATOR PEDAL VE			
N0930	P19 65....MAXIMUM CRUISE SPEED (P19)			
N0936	N203 252...RESERVE SPEED FUNCTION RESET			
N0938	N202 0.....MAXIMUM CYCLE DISTANCE (N202			
N0940	N206 10....MAXIMUM ACTIVE DISTANCE (N20			
N0942	N201 0.....RESERVE SPEED LIMIT OFFSET (
N0944	P11 YES...ENGINE PROTECTION SHUTDOWN (
N0946	P06 NO....GEAR DOWN PROTECTION (P06)			
N0948	P26 1400..MAX PTO SPEED (P26)			
N0950	P02 YES...CRUISE CONTROL AUTO RESUME (
N0952	P04 YES...AUTO ENGINE BRAKE IN CRUISE			
N0954	N209 0.....EXPIRATION DISTANCE (N209)			
N0956	P520 YES...ENABLE IDLE SHUTDOWN PARK BR			
N0958	P32 5.....TIMER SETTING (P32)			
N0960	P233 YES...ENABLE IMPENDING SHUTDOWN WA			
N0962	P234 60....TIMER FOR IMPENDING SHUTDOWN			
N0964	P516 35....ENGINE LOAD THRESHOLD (P516)			
N0968	P33 NO....IDLE SHUTDOWN MANUAL OVERRUL			
N0972	P230 YES...ENABLE HOT AMBIENT AUTOMATIC			
N0974	P46 40....LOW AMBIENT TEMPERATURE THRE			
N0976	P56 60....INTERMEDIATE AMBIENT TEMPERA			
N0978	P47 80....HIGH AMBIENT TEMPERATURE THR			
1000158	PROSPECTOR VERSION 43.0	U	0	0
	RPL VERSION 42.1			
1000684	Effective VSL Setting NA	P	0	0
1000858	Engine Idle Shutdown Timer Disabled	P	0	0
1000859	Enable EIST Ambient Temp Ovrerrule	P	0	0

1000860	Enable EIST in PTO Mode	P	0	0
	Use only with MX and Cummins engines			
1000891	Eff EIST NA Expiration Miles	P	0	0
	Use only with MX and Cummins engines			
1002080	Air comp: Cummins 18.7 CFM, Naturally Aspirated for X15 engines	P	0	0
1051200	Air Cleaner: composite firewall mounted PACCAR or Cummins engines	P	0	0
1099080	Pre-cleaner mounted in the hood plenum	P	325	0
1105221	Fan Hub:Horton On/Off for X15	P	0	0
1123555	COOLING MODULE: 1330 SQIN	P	0	0
1160208	BUGSCREEN MTD BETWEEN HOOD AND GRILL SEMI RIGID,NON-REM	P	120	2
1247166	EXH:2017 EPA RH UNDER DPF/SCR W/ RH SOC VERT TP F/ DAYCAB, EXT DAYCAB, MOD SLPR	P	0	0
1290124	Tailpipe: 5" Single 24" 45 Deg Curved	P	66-	2-
1321109	Fuel Filter:PACCAR Std. Serv. Interval Fuel/Water Separator, 2017 Emissions	P	0	0
1321200	Run Aid:None *For Fuel Filter	P	0	0
1321300	Start Aid:None *For Fuel Filter	P	0	0
1500029	Kenworth Fuel Cooler See Extended Prospector Desc. for Usage	P	217	7
1816260	Alternator: PACCAR 160 amp, brush type	P	0	0
1821225	BATT: 2 PACCAR GP31 THR (1000) 2000 CCA STARTING BATTERIES	P	240-	60-
1836100	PACCAR 12V STARTER	P	0	0
1840065	12V low voltage disconnect for starter battery protection	P	0	0
1901017	REMOTE PTO/THROTTLE, 12-PIN, ENG BAY REMOTE CONTROL PROVISION	P	86	0
1903020	Decline Driver Performance Assistant (DPA)	P	0	0
	MAIN TRANSMISSION AND CLUTCH			
2016158	Allison 4500RDS 6-speed W/O Ret W/PTO Provision 5th Gen	P	30281	496
2405405	D/L: 2 DANA 1810 W/ 1 CB	P	725	99
2410018	TORQUE CONVERTER INCLD W/ALLISON TRANS	P	0	0
2410033	ALLISON AUTOMATIC SCAAN COMPLETED	U	0	0
2410154	Allison lever control, cntr console MTD Gen 5	P	380	0
2410204	Delete Allison Fuel Sense	P	0	0
2410244	J1939 Park Brake Auto Neutral	P	0	0
2410426	Allison 5th Gen RDS PKG 223 for 3000, 3500, 4000, 4500, 4700 Trans	U	0	0
2410571	TORQUE CONVERTER:TC571 F/4000 SERIES USE WITH HD, 4000 & 4500 EVS, HS & RDS	U	0	0
2429358	Trans PTO Rear Trans Supt Spring(s)	P	88	0
2429378	C/I 1st Allison Trans PTO◆8 OClock POS Allison 3000/4000	P	0	0
N2410	SCAAN 383938			
	FRONT AXLE AND EQUIPMENT			
2513014	MERITOR MFS14 14.6K 3.5" DROP STD TRACK	P	535	40
2621310	FR BRK: BENDIX ES 16.5X5 MAX CAP 14.6K	P	404-	62-
2690002	FR BRK DRUM: CAST 16.5X5	P	245-	77
2702500	HUB: IRON HUB PIL MNT MAX CAP 14.6K 11.25" BC	P	1	49
2741970	CONMET PRESET PLUS HUB PKG FR AXLE	P	0	0
2750001	FR HUBCAP: VENTED	P	0	0
2765001	FR AUTO SLACK ADJ	P	0	0
2864019	FR SPRG TAPERLEAF 14.6K 2-LEAF W/SHOCKS	P	558	24
2895101	PWR STRG SING GEAR, SHEPPARD SD110 16K	P	489	9

2900615	THREADED BUSHINGS F/TAPERLEAF SPRG 12K-14.6K(T6/T8/W9B/W990);13K-14.6K(T3) REAR AXLE AND EQUIPMENT	P	48	0
3122247	MERITOR MT40-14X4 40K Hypoid DUAL 11 MM HSG	P	324	123
3200370	REAR AXLE RATIO-3.70	P	0	0
3334004	RR BRK:BENDIX ES S-CAM 16.5X7 DUAL 46K MAXIMUM; EXTENDED SERVICE	P	0	0
3392005	RR BRK DRUM: CAST S-CAM DUAL	P	0	0
3407050	RR HUB:AL HUB-PILOT DUAL 11-1/4"BC REQUIRES "R" SERIES OUTER ENDS	P	0	0
3441972	CONMET PRESET PLUS HUB PKG DUAL RR AXLE	P	0	0
3465002	RR AUTO SLACK ADJUST: DUAL	P	0	0
3485209	SPRING BRK: 3030 HIGH OUTPUT DUAL	P	0	0
3495226	ABS:BENDIX 4S/4M FR WHL+2 GRP RR WHL*AVL ONLY W/AIR BRK	P	2760-	0
3500037	I/A D/L: 1 DANA 1710 USE 3500040 FOR TRIDEM	P	0	0
3736418	REYCO 102 ML 40K DUAL 52" AS STL C/M&G 10.8" UNLADEN HT 9.2" LADEN HT	P	143	18
3839990	*** INSUFFICIENT CLEARANCE FOR TIRE CHAINS ON INNER-DUALS TIRES, WHEELS & RIMS	U	0	0
4038677	FR GY G291 315/80R22.5 18PR AP PART: GY315/80R225JG291 FET: 90	P	399	161
4283231	RR YO MY507 11R22.5 16PR PART: Y050776 FET: 232	P	728	124
4900008	CODE-REAR TIRE QTY 08.			
5042311	FR WHL ACCUR 29039 22.5X9 STL HUB PIL ARMOR PWDR COAT	P	377	71
5853906	PWDR COAT WHT REQS 50/51/52/57/578 CODE: ALL STL WHLS MUST HAVE SAME COLOR	P	0	0
5242389	RR WHL ACCUR 51487 22.5X8.25 STL HUB PIL MNT, ARMOR PWDR COAT	P	0	0
5900008	CODE-REAR RIM QTY 08. FRAME AND EQUIPMENT			
6054400	FRAME RAILS:10-5/8 X 5/16" STL 285-336" SECTION MOD:14.80, RBM:1,776,000 LBS,	P	212	0
6302361	BUMPER: TAPERED POLISHED ALUM REQS BUMPER SETTING CODE	P	182	7-
6319485	48.5 INCH BUMPER SETTING*REQS BUMPER CODE	P	0	0
6324025	FRONT TOW HOOK: CAST CENTER MT - C5B REQS STL & T8 REQS IRON FRT DRIVE BRKTS	P	247	29
6390312	IRON FRONT DRIVE BRACKETS	P	100	46
6400636	BATT BOX: CANTLVR AL BOC, FIBERGLASS COVER	P	97	9
6409902	BATTERY BOX LOCATION: RIGHT HAND SIDE	P	111	15
6451090	T470,C5,T6,T8 NON-POL DPF/SCR OR CNG DP COVER W/STEP. CAB ACCESS RH UNDER	P	105	0
6679817	2017 EPA Emissions Engine	U	0	0
6679915	CUSTOMER INSTALL BULKHEAD/HEADACHE RACK	P	0	0
6721125	DEL MDFLP ARMS:DLR/CUST RESP F/INSTL OF ARMS	P	38-	11-
6723000	DEL MDFLP SHIELDS-DLR/CUST RESP F/INSTL OF SHIELDS	P	0	9-
6742009	SQUARE END OF FRAME: W/O CROSS MEMBER FUEL TANKS AND EQUIPMENT	P	0	0
7210090	FUEL TANK: 90 US GAL 24.5" AL UND RPL	P	9-	4-
7722011	DEF TANK: SMALL ROUND 11 GAL USABLE *2013 OR LATER	P	0	0
7831008	F/T STEPS: 6" WIDE LOWER*1 22" OR 24.5" TANK LH	P	37	2

7889203	STD DEF TO FUEL RATIO, 2:1 OR GREATER	P	0	0
7889245	ANTI-SIPHON DEVICE F/TANK FILLER NECK ANY NUMBER OF TANKS	P	0	0
7889604	DEF TANK LOC: LH 7920090	P	0	0
CAB AND EQUIPMENT				
8025301	CAB: Stamped Alum, Panoramic Curved Windshld, w/ LED Marker Lights, Signals	P	0	0
8090604	Hood: T880 Standard Length W/Mechan. Fastened Fenders. 122.6" BBC	P	358	15
8108011	Htr/Air Con w/defrst & auto temp ctrl *48K BTU/hr heater *Daycab/40in SLPR	P	0	0
8201013	STEERING WHEEL: 18" 4-SPK	P	0	0
8201051	COLUMN MTD RETARDER CTRL, RH SIDE	P	0	0
8201200	STRG COLUMN:ADJ TELESCOPNG TILT*CODE F/18" STRG WHEEL*	P	0	0
8203060	5 SETS OF KEYS. REPLACES STANDARD (2 SETS OF KEYS).	P	32	0
8203191	KEY LOCK: CUSTOMER-SPECIFIED TUMBLER # INCL. IGN.,CAB DRS,SLPR TOOL, 2.1M ONLY	P	432	0
8203196	DASH MTD - COMPACT TRAILER BRAKE VALVE SELF RETURNING	P	0	0
8205177	DASH SWITCH:1ST ALLISON-MOUNTED PTO	P	208	0
8208495	SW: 2 SPARES WIRED TO POWER	P	65	0
8208602	DASH SW: W/LT/GUARD F/ TRUCK DUMP GATE	P	173	0
8210986	Custom key code: 7-pin (P0986)	U	0	0
8220106	GAU: AIR FILTER RESTRICTION DASH-MT	P	151	0
8221160	GAU: OIL TEMP ENG W/INTEGRAL WARN LT	P	39	0
8222712	GAU: FUEL FILTER RESTRICTION	P	131	0
8282007	Kenworth Driver Performance Center: 5in Full Color Active Matrix Info Display	P	0	0
8282013	Kenworth Instrumentation & Control Pkg *w/ 9 Std. Easy Read Gauges	P	0	0
8282108	Modular Dash OPTION: Dash Storage w/2 Shelves. *REDUCES GAUGE COUNT BY 6*	P	45	0
8300008	Interior color: Slate Gray	P	0	0
8330102	INTERIOR PACKAGE: VANTAGE DAYCAB	P	0	0
8390634	Floormat: Rubber material	P	0	0
8410200	DR Seat: KW GT701 HB w/ Vinyl Material Air-Ride Susp.	P	89-	0
8480103	RD Seat: KW GT100 IB Toolbox Seat w/ Vinyl Material	P	69	0
8490187	Seat color:Slate Gray w/gray stitching	P	0	0
8601421	Kenworth Radio with AM/FM/WB/USB and Bluetooth	P	476	4
8698974	SPKRS: Base Audio System - Daycab: High Performance Door Speakers	P	86	2
8700168	TURN SIGNAL SWITCH: COLUMN-MTD DIMMER INCL INTERMITTENT WIPER CONTROL	P	0	0
8700283	LH & RH TRIP LEDGE RAIN DEFLECTORS	P	203	0
8700663	Kenworth TruckTech+ Formerly Remote Diagnostics	P	0	0
8800260	GRABHANDLE: 1 LONG RH mtd SOC exhaust	P	64	2
8800372	GRABHANDLE: LH, ERGONOMIC EXTERIOR, SIDE OF CAB	P	147	2
8800402	Grabhandles: Dual cab-interior,A-pillar mtd dash wrap & B-pillar mtd handles	P	0	0
8832113	Daylite Door: KW w/ Std LH/RH elec door locks and LH/RH elec window controls	P	0	0
8841411	AIR HORN: SINGLE UNDER CAB	P	0	0
8850139	Look-down, pass. door, Black 11x6	P	0	0
8865002	MIRR: DUAL KW AERO MOTOR HTD 7"X13" SHELL CAB CLR-ARMS BLK W/ 6"X7" CX MIRR	P	0	0

8871446	RR CAB Window: fixed 19"X36" NOT AVAILABLE W/SLEEPER	P	0	0
8890101	Windshield: 1-pc bonded-in w/ curved glass	P	0	0
8890135	SUNVISOR:EXTERIOR STAINLESS STEEL	P	916	20
8890349	Wheelwell FNDR Extension: 2.5"	P	356	4
8890876	Kenworth cab/sleeper air suspension	P	0	0
	LIGHTS AND SIGNALS			
9010553	Headlamps: SAE Dual Halogen Complex Reflector	P	0	0
9022137	MARKER: 5 RECTANGULAR LED	P	0	0
9030016	Turn Signal Lights: Flush MTD LED MTD at top of fender wheel arc.	P	0	0
9030052	LED STOP/TURN/TAIL: WITH 2 LED B/U LIGHTS AND W/ LED LICENSE PLATE	P	0	0
9090027	HEADLAMPS TO TURN ON WHEN WIPERS ARE ACTIVE	P	0	0
9090039	INTERRUPTER SWITCH FOR MARKER LTS B-CAB:INCL IN TURN SIGNAL;T3 IN DASH	P	0	0
9090126	BACKUP ALARM: ELECTRIC	P	155	4
9090849	Polyswitches repl fuses Switch will auto reset after removal of excess load	P	48	0
	AIR EQUIPMENT			
9101235	Air Dryer: Bendix AD-IS Extended Purge HTD with Puraguard	P	142	4
9108001	MOISTURE EJT VLV: PULL CABLE DRAIN	P	0	0
9110020	FULL TRUCK KIT	P	971	15
9140020	NYLON AIR TUBING: FRAME/CAB	P	0	0
9140328	TRAILER ABS ELECT SUPPLY THRU SAE J560 7 PIN CONNECTOR (PER TMC RP137)	P	0	0
N9100	C/R 296200 - 296204, 296217 - 296218,			
N9101	C/R 296224 - 296234, 296240 - 296244,			
N9102	C/R 341925, 347597 - 347632			
	OPTIONAL EXT WTY & PRV MNT			
9200021	BASE WARR: STANDARD SERVICE HEAVY DUTY 12 MONTHS/100K MI/160K KM	P	0	0
	ORDER REVIEWED BY APPLICATIONS TECH:			
9290202	Randray Beverly 740-774-5384	U	0	0
	GLIDER KITS AND ASSEMBLIES			
9400072	SHIP TO DEALER	P	0	0
9409852	GHG Secondary Manufacturer: Does Not Apply	P	0	0
	SPECIAL EQUIPMENT			
9490003	OFF HIGHWAY/SPECIALTY COMPONENT TRUCK ADDITIONAL LEADTIME REQUIRED	P	0	0
9490206	WARNING TRIANGLE REFLECTOR KIT: 3 TRIANGLES IN PLASTIC CASE	P	47	4
9490406	FIRE EXT: ONE 5# DRY CHEMICAL TYPE MTD OUTBOARD OF RD. SEAT. Class ABC.	P	137	11
9491665	CECU/VECU ELECTRONICS ARCHITECTURE	P	0	0
	PROMOTIONS			
	PAINT COLOR NUMBER			
9700000	PAINT COLOR NUMBER(S)	P	0	0
N9702	A - L0006EY WHITE			
N9720	FRAME N0001EA BLACK			
	NOTES			
9800001	***NOTE:REQUESTS PRECEDED BY N98XX ARE DISAPPROVED-OAR GRP #425-828-5245	U	0	0
N9801	A***** SCAAN R*****			
	PAINT			
9943004	BUMPER UNPAINTED	P	0	0
9943050	Day Cab Standard Paint	P	0	0
9944820	1 Color Paint Day Cab	P	0	0

	White If No Color Specified			
9960007	***PAINT REVISION/SKETCH PENDING***	U	0	0
9965510	PAINT:BASE COAT/CLEAR COAT*REQS PAINT	P	0	0
	EXTERIOR & PAINT COLOR L SERIES CODES*			
	ORDER INFORMATION			
9999995	CANCEL/REORDER CHASSIS	P	0	0
N9994	EMAIL: PFREDRICH@PERFORMANCETRUCK.COM			
N9995	CELL PHONE: 3617980902			
N9996	SALESPERSON ID: ALANGILLIS			
N9997	DEALER CONTACT			
N9998	NAME: PRESTON FREDR PH:3617980902			
N9999	JRX 11/13/18 OC006			

UNIT TYPE: 2	PRICE EFFECTIVE DATE: 01/01/18
TOTAL LIST PRICE :	223,634 **WGT: 16,706

**** WEIGHT SHOWN HERE IS AN ENGINEERING ESTIMATE AND DOES NOT INCLUDE UNPUBLISHED OPTION OR FRAME RAIL WEIGHTS. ACTUAL 'SHIPPING' WEIGHT MAY VARY.**

**** UNPUBLISHED OPTIONS AVAILABILITY AND PRICES ARE SUBJECT TO CHANGE PENDING OUTCOME OF REVIEW BY OAR/PRICING COMMITTEE.**